

Publication list — gene expression profiling and bioinformatics

Contents

1. Gene expression profiling
2. Bioinformatics
3. Book chapters
4. Popular scientific publications

1. Gene expression profiling

2008

Cameron, J.E. *et al.* (2008) Epstein-Barr virus latent membrane protein 1 induces cellular microRNA miR-146a, a modulator of lymphocyte signaling pathways. *J. Virol.* 82: 1946–1958.

Drews, F. *et al.* (2008) Disruption of the latent transforming growth factor- β binding protein-1 gene causes alteration in facial structure and influences TGF- β bioavailability. *Biochim. Biophys. Acta* 1783: 34–48.

Kang, J.-A. *et al.* (2008) Osteopontin regulates actin cytoskeleton and contributes to cell proliferation in primary erythroblasts. *J. Biol. Chem.* 283: 6997–7006.

Mashreghi, M.-F. *et al.* (2008) Inhibition of dendritic cell maturation and function is independent of heme oxygenase 1 but requires the activation of STAT3. *J. Immunol.* 180: 7919–7930.

Schlottmann, S. *et al.* (2008) Prolonged classical NF- κ B activation prevents autophagy upon *E. coli* stimulation *in vitro*: a potential resolving mechanism of inflammation. *Mediators of Inflammation*. E-pub: <http://www.hindawi.com/GetArticle.aspx?doi=10.1155/2008/725854>.

Wenzel, J. *et al.* (2008) Gene expression profiling of lichen planus reflects CXCL9⁺-mediated inflammation and distinguishes this disease from atopic dermatitis and psoriasis. *J. Invest. Dermatol.* (2008) 128: 67–78.

Yount, J. S. *et al.* (2008) MDA5 participates in the detection of paramyxovirus infection and is essential for the early activation of dendritic cells in response to sendai virus defective interfering particles. *J. Immunol.* 180:4910–4918.

2007

Bodó, E. *et al.* (2007) Human hair follicles are an extrarenal source and a nonhematopoietic target of erythropoietin. *FASEB J.* 21: 3346–3354.

Ducros, E. *et al.* (2007) Expression of extracellular matrix proteins Fibulin-1 and Fibulin-2 by human corneal fibroblasts. *Curr. Eye. Res.* 32:481–490.

Kabir, M. *et al.* (2007) Treatment for 2 mo with n-3 polyunsaturated fatty acids reduces adiposity and some atherogenic factors but does not improve insulin sensitivity in women with type 2 diabetes: a randomized controlled study. *Am. J. Clin. Nutr.* 86: 1670–1679.

Neiss, M. M. *et al.* (2006) Enhanced expression levels of IL-31 correlate with IL-4 and IL-13 in atopic and allergic contact dermatitis. *J. Allergy. Clin. Immunol.* 118: 930–937.

Wolfrum, S. *et al.* (2007) The protective effect of A20 on atherosclerosis in apolipoprotein E-deficient mice is associated with reduced expression of NF- κ B target genes. *Proc. Natl. Acad. Sci.* 104: 18601–18606.

Erlenkaemper, B. *et al.* (2007) Toxicogenomic analysis of gene expression changes in human liver cells after exposure to environmentally friendly lubricants. *Journal of Synthetic Lubrication* 24: 65–73.

Kotsch, K. *et al.* (2007) Heme oxygenase-1 ameliorates ischemia/reperfusion injury by targeting dendritic cell maturation and migration. *Antioxid Redox Signal* 9: 2049–2063.

Kuttler, B. *et al.* (2007) *Ex vivo* gene transfer of viral interleukin-10 to BB rat islets: no protection after transplantation to diabetic BB rats. *J. Cell. Mol. Med.* 11: 868–880.

Bourteele, S. *et al.* (2007) Alteration of NF- κ B activity leads to mitochondrial apoptosis after infection with pathological prion protein. *Cell Microbiol.* 9: 2202–2217.

Appay, V. *et al.* (2007) Sensitive gene expression profiling of human T cell subsets reveals parallel post-thymic differentiation for CD4⁺ and CD8⁺ lineages. *J. Immunol.* 179: 7406–7414.

Landgraf, P. *et al.* (2007) A mammalian microRNA expression atlas based on small RNA library sequencing. *Cell* 129: 2401–2414.

Auffray *et al.* (2007) Monitoring of blood vessels and tissues by a population of monocytes with patrolling behavior. *Science* 317: 666–670.

Flores, I. *et al.* (2007) Molecular profiling of experimental endometriosis identified gene expression patterns in common with human disease. *Fertil. Steril.* 87: 1180–1199.

Eisentraeger, A. *et al.* (2007) Hazard characterization and identification of a former ammunition site using microarrays, bioassays, and chemical analysis. *Environ. Toxicol. Chem.* 26: 634–646.

Lois, S. *et al.* (2007) Long-term cell monitoring of kidney recipients after an antilymphocyte globulin induction with and without steroids. *Transplantation* 83: 712–721.

2006

Berit, E. *et al.* (2006) Identification and characterization of bacterial Pathogens causing bloodstream infections by DNA microarray. *J. Clin. Microbiol.* 44: 2389–2397.

Diegmann *et al.* (2006) Comparative transcriptional and functional profiling of clear cell and papillary renal cell carcinoma. *Int J Mol Med.* 18 (3): 395–403.

Rivera, E. *et al.* (2006) Molecular profiling of a rat model of colitis: validation of known inflammatory genes and identification of novel disease-associated targets. *Inflamm. Bowel Dis.* 12: 950–966.

Gebel, S. *et al.* (2006) The kinetics of transcriptomic changes induced by cigarette smoke in rat lungs reveals a specific program of defense, inflammation, and circadian clock gene expression. *Toxicological Sciences* 93: 422–431.

Fernandez-Sesma, A. *et al.* (2006) Influenza virus evades innate and adaptive immunity via the NS1 protein. *J. Virol.* 80: 6295–6304.

Wolk, K. *et al.* (2006) IL-22 regulates the expression of genes responsible for antimicrobial defense, cellular differentiation, and mobility in keratinocytes: a potential role in psoriasis. *Eur. J. Immunol.* 36: 1309–23.

2005

Holtkotter, O. *et al.* (2005) Unveiling the molecular basis of intrinsic skin aging. *Int. J. Cosmet. Sci.* 27: 263–269

Borlak, J. *et al.* (2005) Toxicogenomics applied to *in vitro* toxicology: A cDNA–array based gene expression and protein activity study in human hepatocyte cultures upon treatment with Aroclor 1254. *Toxicol. In Vitro.* Dec 26.

Frotschl, R. *et al.* (2005) Effects of chlorpromazine with and without UV irradiation on gene expression of HepG2 cells. *Mutat. Res.* 575: 47–60.

Sass, G. *et al.* (2005) Tumour necrosis factor α (TNF)–TNF receptor 1-inducible cytoprotective proteins in the mouse liver: relevance of suppressors of cytokine signalling. *Biochem. J.* 385: 537–544.

Diegmann, J. *et al.* (2005) Identification of CD70 as a diagnostic biomarker for clear cell renal cell carcinoma by gene expression profiling, real-time RT-PCR and immunohistochemistry. *Eur. J. Cancer* 41: 1794–1801.

Junker, K. *et al.* (2005) Cd70: a new tumor-specific biomarker for renal cell carcinoma. *J. Urol.* 173: 2150–2153.

Gerhard, R. *et al.* (2005) Clostridium difficile toxin A induces expression of the stress-induced early gene product RhoB. *JBC* 280: 1499–1505.

Bodo, E. *et al.* (2005) A hot new twist to hair biology: involvement of vanilloid receptor-1 (VR1/TRPV1) signaling in human hair growth control. *Am. J. Pathol.* 166: 985–998.

Krücken, J. *et al.* (2005) Testosterone suppresses protective responses of the liver to blood-stage malaria. *Infect. Immun.* 73: 436–43.

Baron, J.M. *et al.* (2005) Retinoic acid and its 4-oxo metabolites are functionally active in human skin cells *in vitro*. *J. Invest. Dermatol.* 125: 143–53.

Südel, K.M. *et al.* (2005) Novel aspects of intrinsic and extrinsic aging of human skin: beneficial effects of soy extract. *Photochem. Photobiol.* 81: 581–7.

2004

Goldmann, T. *et al.* (2004) The HOPE-technique permits Northern blot and microarray analyses in paraffin-embedded tissues. *Pathol. Res. Pract.* 200: 511–515.

Pennartz, S. *et al.* (2004) Purification of neuronal precursors from the adult mouse brain: Comprehensive gene expression analysis provides new insights into the control of cell migration, differentiation, and homeostasis. *Mol. Cell. Neurosci.* 25: 692–706.

Gebel, S. *et al.* (2004) Gene expression profiling in respiratory tissues from rats exposed to cigarette mainstream smoke. *Carcinogenesis* 25: 169–178.

Gross, O. *et al.* (2004) Antifibrotic, nephroprotective potential of ACE inhibitor vs AT1 antagonist in a murine model of renal fibrosis. *Nephrol. Dial. Transplant.*, 19: 1716–1723.

2003

Südel, K.M. *et al.* (2003) Tight control of matrix metalloproteinase-1 activity in human skin. *Photochem. Photobiol.* 78: 355–360.

Faraci, E. *et al.* (2003) An extracellular matrix–specific microarray allowed the identification of target genes downstream of discoidin domain receptors. *Matrix Biol.* 22: 373–381.

Morawietz, L. *et al.* (2003) Differential gene expression in the periprosthetic membrane: lubricin as a new possible pathogenetic factor in prosthesis loosening. *Virchows Arch.* 443: 57–66.

Pfaffl, M.W. *et al.* (2003) Effect of zinc deficiency on the mRNA expression pattern in liver and jejunum of adult rats: Monitoring gene expression using cDNA microarrays combined with real-time RT-PCR. *J. Nutr. Biochemistry* 14: 691–702.

Gerstmayer, B. *et al.* (2003) Identification of RELM γ , a novel resistin-like molecule with a distinct expression pattern. *Genomics* 81: 588–595.

Nakamura, M. *et al.* (2003) Control of pelage hair follicle development and cycling by complex interactions between follistatin and activin. *FASEB J.* 17: 497–499.

Baron, J.M. (2003) Arraytechnologien in der Dermatopharmazie und Allergologie. *Hautarzt* 54: 315–320.

2002

Tinhofer, I. *et al.* (2002) Stressful death of T-ALL tumor cells after treatment with the anti-tumor agent Tetrocarcin-A. *FASEB J.* 16: 1295–1297.

Bosio, A. *et al.* (2002) Kinetics of gene expression profiling in Swiss 3T3 cells exposed to aqueous extracts of cigarette smoke. *Carcinogenesis* 23: 741–748.

Butty, A.C. *et al.* (2002) A positive feedback loop stabilizes the guanine-nucleotide exchange factor Cdc24 at sites of polarization. *EMBO* 21: 1565–1576.

Blossey, R. and Bosio, A. (2002) Contact line deposits on cDNA-microarrays: “a twin-spot effect”. *Langmuir* 18, 2952–2954.

Borlak, J. and Bosio, A. (2002) The use of toxicogenomics. In: *Crucial issues in inhalation research—mechanistic, clinical and epidemiologic*. Fraunhofer IRB Verlag, Stuttgart, Editors-in-chief: U. Heinrich and U. Mohr, pp. 75–90.

2001

Tomiuk, S. and Hofmann, K. (2001) Microarray probe selection strategies. *Brief Bioinform.* 2: 329–40.

2. Bioinformatics

2005

Bienko, M. *et al.* (2005) Ubiquitin-binding domains in Y-family polymerases regulate translesion synthesis. *Science* 310: 1821–4.

Meylan, E. *et al.* (2005) Cardif is an adaptor protein in the RIG-I antiviral pathway and is targeted by hepatitis C virus. *Nature* 437: 1167–72.

Andersen, K.M., *et al.* (2005) Ubiquitin-binding proteins: similar, but different. *Essays Biochem.* 41: 49–67.

Kurz, T. *et al.* (2005) The conserved protein DCN-1/Dcn1p is required for cullin neddylation in *C. elegans* and *S. cerevisiae*. *Nature* 435: 1257–61.

Mercer, A.A. *et al.* (2005) Comparative analysis of genome sequences of three isolates of Orf virus reveals unexpected sequence variation. *Virus Res.* Nov 4.

Hetfeld, B.K. *et al.* (2005) The zinc finger of the CSN-associated deubiquitinating enzyme USP15 is essential to rescue the E3 ligase Rbx1. *Curr Biol.* 15: 1217–21.

Scheel, H. and Hofmann, K. (2005) Prediction of a common structural scaffold for proteasome lid, COP9-signalosome and eIF3 complexes. *BMC Bioinformatics* 6: 71.

2004

Palanimurugan, R. *et al.* (2004) Polyamines regulate their synthesis by inducing expression and blocking degradation of ODC antizyme. *EMBO J.* Nov 11.

Haffner, C. *et al.* (2004) Nicalin and its binding partner Nomo are novel Nodal signaling antagonists. *EMBO J.* 23: 3041–3050.

Hartmann-Petersen, R. *et al.* (2004) The Ubx2 and Ubx3 cofactors direct Cdc48 activity to proteolytic and nonproteolytic ubiquitin-dependent processes. *Curr Biol.* 14: 824–828.

Meylan, E. *et al.* (2004) RIP1 is an essential mediator of Toll-like receptor 3-induced NF- κ B activation. *Nat. Immunol.* 5: 503–507.

2003

Schneider, P. *et al.* (2003) Identification of a new murine TNF receptor locus that contains two novel murine receptors for tumor necrosis factor-related apoptosis-inducing ligand (TRAIL). *J. Biol. Chem.* 278: 5444–5454.

Scheel, H. and Hofmann, K. (2003) No evidence for PHD fingers as ubiquitin ligases. *Trends Cell Biol.* 13: 285–287.

Scheel, H. *et al.* (2003) Elucidation of ataxin-3 and ataxin-7 function by integrative bioinformatics. *Hum. Mol. Genet.* 12: 2845–2852.

Scheel, H. and Hofmann, K. (2003) A novel interaction motif, SARAH, connects three classes of tumor suppressor. *Curr. Biol.* 13: R899–900.

Speidel, D. *et al.* (2003) A family of Ca²⁺-dependent activator proteins for secretion: comparative analysis of structure, expression, localization, and function. *J. Biol. Chem.* 278: 52802–52809.

Di Fiore, P.P. *et al.* (2003) When ubiquitin meets ubiquitin receptors: a signalling connection. *Nat. Rev. Mol. Cell Biol.* 4: 491–497.

Tomiuk, S. and Hofmann, K. (2003) Sequence similarity in structurally dissimilar proteins. *Curr. Biol.* 13: R124–125.

Beilharz, T. *et al.* (2003) Bipartite signals mediate subcellular targeting of tail-anchored membrane proteins in *Saccharomyces cerevisiae*. *J. Biol. Chem.* 278: 8219–23.

2002

Maytal-Kivity, V. *et al.* (2002) MPN+, a putative catalytic motif found in a subset of MPN domain proteins from eukaryotes and prokaryotes, is critical for Rpn11 function. *BMC Biochem.* 3: 28.

Maytal-Kivity, V. *et al.* (2002) COP9 signalosome components play a role in the mating pheromone response of *S. cerevisiae*. *EMBO Rep.* 3: 1215–1221.

Scheel, H. *et al.* (2002) A common protein interaction domain links two recently identified epilepsy genes. *Hum. Mol. Genet.* 11: 1757–1762.

Kovacovics, M. *et al.* (2002) Overexpression of Helicard, a CARD-containing helicase cleaved during apoptosis, accelerates DNA degradation. *Current Biology* 12: 838–843.

Falquet, L. *et al.* (2002) The PROSITE database, its status in 2002. *Nucleic Acids Res.* 30: 235–238.

2001

Iyer, L.M. *et al.* (2001) Quod erat demonstrandum? The mystery of experimental validation of erroneous computational analyses of protein sequences. *Genome Biol.* 2: RESEARCH0051.

Hofmann, K. and Falquet, L. (2001) A ubiquitin-interacting motif conserved in components of the proteasomal and lysosomal protein degradation systems. *Trends Biochem. Sci.* 26: 347–350.

Martinon, F. *et al.* (2001) The pyrin domain: a novel member of the death domain-fold family implicated in apoptosis and inflammation. *Curr. Biol.* 11: R118–120.

Luo, X.M. and Hofmann, K. (2001) The PA-domain, a homology domain associated with multiple classes of proteases. *Trends Biochem. Sci.* 26: 147–148.

Tae-Houn, K. *et al.* (2001) PCI complexes: pretty complex interactions in diverse signaling pathways. *TRENDS in Plant Science* 6: 379–386.

Tomiuk, S. and Hofmann, K. (2001) Microarray probe selection strategies. *Brief Bioinform.* 2: 329–340.

Kataoka, T. *et al.* (2001) Bcl-rambo, a novel Bcl-2 homologue that induces apoptosis via its unique C-terminal extension. *J. Biol. Chem.* 276: 19548–19554.

2000

Hofmann, K. (2000) Sensitive protein comparisons with profiles and HMMs. *Brief Bioinform.* 2: 167–178.

Hofmann, K. (2000) A family of membrane bound O-acyltransferases with implications for Wnt signaling. *Trends Biochem. Sci.* 25: 111–112.

Koch, H. *et al.* (2000) Definition of Munc13-homology-domains and characterization of a novel ubiquitously expressed Munc13 isoform. *Biochem. J.* 349: 247–253.

Koonin, E.V. *et al.* (1999) Apoptosis, searching for FLASH. *Nature* 401: 662–663.

1999

Hofmann, K. (1999) The modular nature of apoptotic signaling proteins. *Cell Mol. Life Sci.* 55: 1113–1128.

3. Book chapters

Hofmann, K. (2003) Profile searching. in: *Encyclopedia of the Human Genome*, Nature Publishing Group, London

Hofmann, K. (2002) Functional domains in apoptosis proteins. in: *Genetics and Apoptosis*, Ed.: S. Grimm, BIOS Scientific Publishers, Oxford

Hofmann, K. (2001) Enzyme bioinformatics. in: *Handbook of enzymes in organic synthesis*, 2nd edition, Ed.: H. Waldmann, K. Drauz, S. Roberts, VCH, Weinheim

4. Popular scientific publications

Bissels, U. *et al.* (2008) Universelle Referenz für die miRNA-Forschung. *BIOspektrum* 1/08, in press.

Bissels, U. *et al.* (2007) MicroRNA expression profiling. *European Biotechnology Science & Industry News* 9/2007

Cremer, A. *et al.* (2006) Typisierung von Killer Cell Immunoglobulin-like Rezeptoren (KIR). *BIOspektrum* 3: 319–320

Großhauser, G. *et al.* (2004) Comparison of microarray-based gene expression profiles generated with decreasing amounts of starting material. *MACS&more* Vol. 8.2.

Gerstmayer, B. *et al.* (2003) Gene expression profiling of highly purified peripheral blood monocytes in chronic rheumatic inflammation. *MACS&more* Vol. 7.2.

Drewes, J. *et al.* (2003) Automatisierte Microarray-Hybridisierung unter vollständiger Durchmischung von Reaktionslösungen. *Biospektrum* 4/2003, 420–421.

Schacherer, F. and Bosio, A. (2003) Gene expression profiling for diagnostics. *Laborwelt* 1/2003, 32–34.

Bosio, A. (2002) Rapid array hybridisation. *BioWorld* 6–2002, 8–9.

Bosio, A. and Stoffel, B. (2002) Biochip-Technologie — miniaturisierte Werkzeuge für die biomedizinische Forschung und Diagnostik, C. Herstatt and C. Müller, Eds., *Management-Handbuch Biotechnologie*. 2002, 471–486.

Bosio, A. (2001) Microarrays-production and application. *Euro-Biotech—Pharma meets biotechnology*. euro-biotech 2001.

Bosio, A. (2001) DNA-Chip Produktion und Qualitätssicherung. *medgen* 13, 285–288.

Bosio, A. and Borlak, J. (2001) Microarray-based gene expression profiles applied to pharmaco- and toxicogenomics. *Innovations in pharmaceutical technology* 3, 65–75.

Bosio, A. and Gerstmayer, B. (2001) Strategies for producing microarrays. *BIOforum International* 4/2001, 164–166.

Bosio, A. (2000) Microarrays—Herstellung und Anwendung. *Transcript* 5, 40–42.

Bosio, A. (2000) Den Zustand tausender Gene parallel analysieren. *Life science Technologien* 8/2000, 26–30.



Miltenyi Biotec

Miltenyi Biotec GmbH
Friedrich-Ebert-Straße 68
51429 Bergisch Gladbach
Germany
Phone +49 2204 8306-0
Fax +49 2204 85197
macs@miltenyibiotec.de

www.miltenyibiotec.com

Miltenyi Biotec Inc.
12740 Earhart Avenue
Auburn, CA 95602
USA
Phone 800 FOR MACS,
+1 530 888 8871
Fax +1 530 888 8925
macs@miltenyibiotec.com

**Miltenyi Biotec
Australia Pty. Ltd.**
Phone +61 02 8877 7400
macs@miltenyibiotec.com.au

Miltenyi Biotec B.V. (Benelux)
macs@miltenyibiotec.nl
Customer service Netherlands
Phone 0800 4020120
Customer service Belgium
Phone 0800 94016
Customer service Luxembourg
Phone 800 24971

**Miltenyi Biotec Trading
(Shanghai) Co., Ltd. (P.R. China)**
Phone +86 21 6235 1005
macs@miltenyibiotec.com.cn

Miltenyi Biotec SAS (France)
Phone +33 1 56 98 16 16
macs@miltenyibiotec.fr

Miltenyi Biotec S.r.l. (Italy)
Phone +39 051 646 0411
macs@miltenyibiotec.it

Miltenyi Biotec K.K. (Japan)
Phone +81 3 5646 8910
macs@miltenyibiotec.jp

**Miltenyi Biotec Asia Pacific Pte. Ltd.
(Singapore)**
Phone +65 6238 8183
macs@miltenyibiotec.com.sg

Miltenyi Biotec S.L. (Spain)
Phone +34 91 512 12 90
macs@miltenyibiotec.es

Miltenyi Biotec Ltd. (UK)
Phone +44 1483 799 800
macs@miltenyibiotec.co.uk

MACS is a registered trademark and miRXplore is a trademark of Miltenyi Biotec GmbH. Unless otherwise specifically indicated, Miltenyi Biotec products and services are for research use only and not for therapeutic or diagnostic use. Copyright © 2008 Miltenyi Biotec GmbH. All rights reserved.