




Miltenyi Biotec



## Human hematopoietic stem cells (HSC) — reference list

### Embryonic stem cell–derived HSC

Bandi, S. and Akkina, R. (2008) Human embryonic stem cell (hES) derived dendritic cells are functionally normal and are susceptible to HIV-1 infection. *AIDS Res. Ther.* 5:1.

Wang, Z.Z. *et al.* (2007) Endothelial cells derived from human embryonic stem cells form durable blood vessels *in vivo*. *Nat. Biotechnol.* 25:317–318.

Chen, T. *et al.* (2007) Stromal cell-derived factor-1/CXCR4 signaling modifies the capillary-like organization of human embryonic stem cell-derived endothelium *in vitro*. *Stem Cells* 25:392–401.

Vodyanik, M.A. *et al.* (2006) Leukosialin (CD43) defines hematopoietic progenitors in human embryonic stem cell differentiation cultures. *Blood.* 108:2095–2105.

Narayan, D.A. *et al.* (2006) Human embryonic stem cell–derived hematopoietic cells are capable of engrafting primary as well as secondary fetal sheep recipients. *Blood* 107:2180–2183.

Galic, Z. *et al.* (2006) T lineage differentiation from human embryonic stem cells. *Proc. Natl. Acad. Sci. USA* 103:11742–11747.

Chang, K. *et al.* (2006) Definitive-like erythroid cells derived from human embryonic stem cells coexpress high levels of embryonic and fetal globins with little or no adult globin. *Blood*, 108:1515–1523.

Vodyanik, M.A. *et al.* (2005) Human embryonic stem cell–derived CD34 cells: efficient production in the coculture with OP9 stromal cells and analysis of lymphohematopoietic potential. *Blood* 105:617–626.

Kaufman, D.S. *et al.* (2001) Hematopoietic colony-forming cells derived from human embryonic stem cells. *Proc. Natl. Acad. Sci. USA* 98:10716–10717.

### HSC from adult sources

#### Culture and proliferation

Campard, D. *et al.* (2006) Multilevel regulation of IL-6R by IL-6-sIL-6R fusion protein according to the primitiveness of peripheral blood-derived CD133<sup>+</sup> cells. *Stem Cells* 24:1302–1314.

Suzuki, T. *et al.* (2006) Highly efficient *ex vivo* expansion of human hematopoietic stem cells using Delta1-Fc chimeric protein. *Stem Cells* 24:2456–2465.

Summers, Y.J. *et al.* (2004) AC133<sup>+</sup>G0 cells from cord blood show a high incidence of long-term culture-initiating cells and a capacity for more than 100 million-fold amplification of colony-forming cells *in vitro*. *Stem cells* 22:704–715.

Goussetis, E. *et al.* (2000) A functional hierarchy among the CD34<sup>+</sup> hematopoietic cells based on *in vitro* proliferative and differentiative potential of AC133<sup>+</sup>CD34<sup>bright</sup> and AC133<sup>dim</sup>-CD34<sup>+</sup> human cord blood cells. *Hematother. Stem Cell Res.* 9:827–40.

Matsumoto, K. *et al.* (2000) *In vitro* proliferation potential of AC133-positive cells in peripheral blood. *Stem Cells* 18:196–203.

Ziegler, B.L. *et al.* (1999) KDR receptor: a key marker defining hematopoietic stem cells. *Science* 285:1553–1558.

De Wynter, E.A. *et al.* (1998) CD34<sup>+</sup>AC133<sup>+</sup> cells isolated from cord blood are highly enriched in long-term culture-initiating cells, NOD/SCID-repopulating cells and dendritic cell progenitors. *Stem cells* 16:387–396.

### Generation of dendritic cells

Li, Y.P. *et al.* (2008) Human mesenchymal stem cells license adult CD34<sup>+</sup> hemopoietic progenitor cells to differentiate into regulatory dendritic cells through activation of the Notch pathway. *J. Immunol.* 180:1598–1608.

Chen, L. *et al.* (2007) Effects of human mesenchymal stem cells on the differentiation of dendritic cells from CD34<sup>+</sup> cells. *Stem cells Dev.* 16:719–731.

Kobari, L. *et al.* (2006) *Ex vivo* expansion does not alter the capacity of umbilical cord blood CD34<sup>+</sup> cells to generate functional T lymphocytes and dendritic cells. *Stem Cells* 24:2150–2157.

Bornhäuser, M. *et al.* (2005) Rapid reconstitution of dendritic cells after allogeneic transplantation of CD133<sup>+</sup> selected hematopoietic stem cells. *Leukemia* 19:161–165.

De Wynter, E.A. *et al.* (1998) CD34<sup>+</sup>AC133<sup>+</sup> cells isolated from cord blood are highly enriched in long-term culture-initiating cells, NOD/SCID-repopulating cells and dendritic cell progenitors. *Stem cells* 16:387–396.

### Generation of red blood cells

Giarratana, M.-C. *et al.* (2005) *Ex vivo* generation of fully mature human red blood cells from hematopoietic stem cells. *Nat. Biotechnol.* 23:69–74.

Goussetis, E. *et al.* (2000) A functional hierarchy among the CD34<sup>+</sup> hematopoietic cells based on *in vitro* proliferative and differentiative potential of AC133<sup>+</sup>CD34<sup>bright</sup> and AC133<sup>dim/-</sup>CD34<sup>+</sup> human cord blood cells. *J. Hematother. Stem Cell Res.* 9:827–840.

Ziegler, B.L. *et al.* (1999) Unicellular-unilineage erythropoietic cultures: molecular analysis of regulatory gene expression at sibling cell level. *Blood* 93:3355–3368.

### Generation of platelets

Yasui, K. *et al.* (2003) Differences between peripheral blood and cord blood in the kinetics of lineage-restricted hematopoietic cells: implications for delayed platelet recovery following cord blood transplantation. *Stem Cells* 21:143–151.

Choi, E.S. *et al.* (1995) Platelets generated *in vitro* from proplatelet-displaying human megakaryocytes are functional. *Blood* 85:402–413.

### Plasticity

Handgretinger, R. *et al.* (2003) Biology and plasticity of CD133<sup>+</sup> hematopoietic stem cells. *Ann. N.Y. Acad. Sci.* 996:141–151.

Kuci, S. *et al.* (2003) Identification of a novel class of human adherent CD34<sup>-</sup> stem cells that give rise to SCID-repopulating cells. *Blood* 101:869–876.

### Division and migration

Beckmann, J. *et al.* (2007) Asymmetric cell division within the human hematopoietic stem and progenitor cell compartment: identification of asymmetrically segregating proteins. *Blood* 109:5494–5501.

Forde, S. *et al.* (2007) Endolyn (CD164) modulates the CXCL12-mediated migration of umbilical cord blood CD133<sup>+</sup> cells. *Blood* 109:1825–1833.

Giebel, B. *et al.* (2006) Primitive human hematopoietic cells give rise to differentially specified daughter cells upon their initial cell division. *Blood* 107:2146–2152.

Wright, D.E. *et al.* (2001) Physiological migration of hematopoietic stem and progenitor cells. *Science* 294:1933–1936.

## Molecular analysis

Campard, D. *et al.* (2006) Multilevel regulation of IL-6R by IL-6-sIL-6R fusion protein according to the primitiveness of peripheral blood-derived CD133<sup>+</sup> cells. *Stem Cells* 24:1302–1314.

Oswald, J. *et al.* (2006) Gene-expression profiling of CD34<sup>+</sup> hematopoietic cells expanded in a collagen I matrix. *Stem Cells* 24:494–500.

Yasui, K. *et al.* (2003) Differences between peripheral blood and cord blood in the kinetics of lineage-restricted hematopoietic cells: implications for delayed platelet recovery following cord blood transplantation. *Stem Cells* 21:143–151.

Ziegler, B.L. *et al.* (1999) Unicellular-unilineage erythropoietic cultures: molecular analysis of regulatory gene expression at sibling cell level. *Blood* 93:3355–3368.

Ziegler, B.L. *et al.* (1999) KDR receptor: a key marker defining hematopoietic stem cells. *Science* 285:1553–1558.

## Cancer and disease research

Li, J. *et al.* (2004) Imprinting of the human L3MBTL gene, a polycomb family member located in a region of chromosome 20 deleted in human myeloid malignancies. *Proc. Natl. Acad. Sci. USA* 101:7341–7346.

Matsui, W. *et al.* (2004) Characterization of clonogenic multiple myeloma cells. *Blood* 103:2332–2326.

Miyazato, A. *et al.* (2001) Identification of myelodysplastic syndrome-specific genes by DNA microarray analysis with purified hematopoietic stem cell fraction. *Blood*. 98:422–427.

Hariharan, D. *et al.* (1999) Human immunodeficiency virus infection of human placental cord blood CD34<sup>+</sup>AC133<sup>+</sup> stem cells and their progeny. *AIDS Res. Hum. Retroviruses* 15:1545–1552.

## Clinical applications

de Lima, M. *et al.* (2008) Transplantation of *ex vivo* expanded cord blood cells using the copper chelator tetraethylenepentamine: a phase I/II clinical trial. *Bone Marrow Transplant.* Epub.

Bornhäuser, M. *et al.* (2005) Rapid reconstitution of dendritic cells after allogeneic transplantation of CD133<sup>+</sup> selected hematopoietic stem cells. *Leukemia* 19:161–165.

Kratz-Albers, K. *et al.* (1998) Expression of AC133, a novel stem cell marker, on human leukemic blasts lacking CD34 antigen and on human CD34<sup>+</sup> leukemic cell line: MUTZ-2. *Blood* 92:4485–4487.



**Miltenyi Biotec**

**Miltenyi Biotec GmbH**  
Friedrich-Ebert-Straße 68  
51429 Bergisch Gladbach  
Germany  
Phone +49 2204 8306-0  
Fax +49 2204 85197  
macs@miltenyibiotec.de

[www.miltenyibiotec.com](http://www.miltenyibiotec.com)

**Miltenyi Biotec Inc.**  
12740 Earhart Avenue  
Auburn, CA 95602  
USA  
Phone 800 FOR MACS,  
+1 530 888 8871  
Fax +1 530 888 8925  
macs@miltenyibiotec.com

**Miltenyi Biotec  
Australia Pty. Ltd.**  
Phone +61 02 8877 7400  
macs@miltenyibiotec.com.au

**Miltenyi Biotec B.V. (Benelux)**  
macs@miltenyibiotec.nl  
**Customer service Netherlands**  
Phone 0800 4020120  
**Customer service Belgium**  
Phone 0800 94016  
**Customer service Luxembourg**  
Phone 800 24971

**Miltenyi Biotec Trading  
(Shanghai) Co., Ltd. (P.R. China)**  
Phone +86 21 6235 1005  
macs@miltenyibiotec.com.cn

**Miltenyi Biotec SAS (France)**  
Phone +33 1 56 98 16 16  
macs@miltenyibiotec.fr

**Miltenyi Biotec S.r.l. (Italy)**  
Phone +39 051 646 0411  
macs@miltenyibiotec.it

**Miltenyi Biotec K.K. (Japan)**  
Phone +81 3 5646 8910  
macs@miltenyibiotec.jp

**Miltenyi Biotec Asia Pacific  
Pte. Ltd. (Singapore)**  
Phone +65 6238 8183  
macs@miltenyibiotec.com.sg

**Miltenyi Biotec S.L. (Spain)**  
Phone +34 91 512 12 90  
macs@miltenyibiotec.es

**Miltenyi Biotec Ltd. (UK)**  
Phone +44 1483 799 800  
macs@miltenyibiotec.co.uk