

## Reference list

# MACS<sup>®</sup> Technology for neuroscience

### Neural Tissue Dissociation

Ashbaugh, J. J. *et al.* (2013) IL7Ra Contributes to experimental autoimmune encephalomyelitis through altered T cell responses and nonhematopoietic cell lineages. *J. Immunol.* 190: 4525–4534.

Golebiewska, A. *et al.* (2013) Side population in human glioblastoma is non-tumorigenic and characterizes brain endothelial cells. *Brain*: Epub ahead of print, March 4.

He, S. *et al.* (2013) Placenta-derived adherent cells attenuate hyperalgesia and neuroinflammatory response associated with perineural inflammation in rats. *Brain Behav. Immun.* 27(1): 185–192.

Kar, A. N. *et al.* (2013) Intra-axonal Synthesis of Eukaryotic Translation Initiation Factors Regulates Local Protein Synthesis and Axon Growth in Rat Sympathetic Neurons. *J. Neurosci.* 33: 7165–7174.

Krishna, C. *et al.* (2013) Stage-specific functions of the small rho GTPases Cdc42 and Rac1 for adult hippocampal neurogenesis. *J. Neurosci.* 33: 1179–1189.

Metcalf, T. U. *et al.* (2013) Recruitment and retention of B cells in the central nervous system in response to alphavirus encephalomyelitis. *J. Virol.* 87(5): 2420–2429.

Schwarz, J. M. *et al.* (2013) Adolescent morphine exposure affects long-term microglial function and later-life relapse liability in a model of addiction. *J. Neurosci.* 33(3): 961–971.

Ataka, K. *et al.* (2012) Alteration of antral and proximal colonic motility induced by chronic psychological stress involves central urocortin 3 and vasopressin in rats. *Am. J. Physiol. Gastrointest. Liver Physiol.* 303: G519–G528.

Janiszewska, M. *et al.* (2012) Imp2 controls oxidative phosphorylation and is crucial for preserving glioblastoma cancer stem cells. *Genes Dev.* 26: 1926–1944.

Jungblut, M. *et al.* (2012) Isolation and characterization of living primary astroglial cells using the new GLAST-specific monoclonal antibody ACSA-1. *Glia* 60(6): 894–907.

Kayo Haraguchi, K. *et al.* (2012) TRPM2 contributes to inflammatory and neuropathic pain through the aggravation of pronociceptive inflammatory responses in mice. *J. Neurosci.* 32: 3931–3941.

Quandt, J. A. *et al.* (2012) Myelin basic protein-specific TCR/HLA-DRB5\*01:01 transgenic mice support the etiologic role of DRB5\*01:01 in multiple sclerosis. *J. Immunol.* 189(6): 2897–2908.

Roe, K. *et al.* (2012) West Nile virus-induced disruption of the blood–brain barrier in mice is characterized by the degradation of the junctional complex proteins and increase in multiple matrix metalloproteinases. *J. Gen. Virol.* 93: 1193–1203.

Sasaki, M. *et al.* (2012) D-2-hydroxyglutarate produced by mutant IDH1 perturbs collagen maturation and basement membrane function. *Genes Dev.* 26: 2038–2049.

Spanier, J. A. *et al.* (2012) The *Ifng* gene is essential for *Vdr* gene expression and vitamin D3-mediated reduction of the pathogenic T cell burden in the central nervous system in experimental autoimmune encephalomyelitis, a multiple sclerosis model. *J. Immunol.* 189: 3188–3197.

Yeo, Y. A. *et al.* (2012) CD137 ligand activated microglia induces oligodendrocyte apoptosis via reactive oxygen species. *J Neuroinflammation* 16(9): 173.

Yuji Piao, Y. *et al.* (2012) Glioblastoma resistance to anti-VEGF therapy is associated with myeloid cell infiltration, stem cell accumulation, and a mesenchymal phenotype. *Neuro-oncology* 14(11): 1379–1392.

Li, S. *et al.* (2011) Soluble A $\beta$  oligomers inhibit long-term potentiation through a mechanism involving excessive activation of extrasynaptic NR2B-containing NMDA receptors. *J. Neurosci.* 31: 6627–6638.

Metcalfe, T. U. *et al.* (2011) Alphavirus-induced encephalomyelitis: Antibody-secreting cells and viral clearance from the nervous system. *J. Virol.* 85: 11490–11501.

Noriyuki, K. *et al.* (2011) CD166/activated leukocyte cell adhesion molecule is expressed on glioblastoma progenitor cells and involved in the regulation of tumor cell invasion. *Neuro-oncology* 14(10): 1254–1264.

Soda, Y. *et al.* (2011) Transdifferentiation of glioblastoma cells into vascular endothelial cells. *Proc. Natl. Acad. Sci. U. S. A.* 108: 4274–4280.

Williamson, L. L. *et al.* (2011) Microglia and memory: Modulation by early-life infection. *J. Neurosci.* 31: 15511–15521.

De Miranda, J. *et al.* (2010) Induction of toll-like receptor 3-mediated immunity during gestation inhibits cortical neurogenesis and causes behavioral disturbances. *MBio* 1: e00176–10.

Ganz, J. *et al.* (2010) Heterogeneity and Fgf dependence of adult neural progenitors in the zebrafish telencephalon. *Glia* 58(11): 1345–1363.

Kremer, M. *et al.* (2010) Reduced immunoproteasome formation and accumulation of immunoproteasomal precursors in the brains of lymphocytic choriomeningitis virus-infected mice. *J. Immunol.* 185: 5549–5560.

Nguyen, V. *et al.* (2010) AMPA and metabotropic excitotoxicity explain subplate neuron vulnerability. *Neurobiol. Dis.* 37(1): 195–207.

Szulwach, K. E. *et al.* (2010) Cross talk between microRNA and epigenetic regulation in adult neurogenesis. *J. Cell Biol.* 189: 127–141.

Vlotides, G. *et al.* (2009) Heregulin regulates prolactinoma gene expression. *Cancer Res.* 69: 4209–4216.

Hardt, O. *et al.* (2008) Gene expression analysis defines differences between region-specific GABAergic neurons. *Mol. Cell. Neurosci.* 39(3): 418–428.

Lee, J. *et al.* (2008) Regulator of G-protein signaling 10 promotes dopaminergic neuron survival via regulation of the microglial inflammatory response. *J. Neurosci.* 28: 8517–8528.

Meylan, F. *et al.* (2008) The TNF-family receptor DR3 is essential for diverse T cell-mediated inflammatory diseases. *Immunity* 29(1): 79–89.

Skog, J. *et al.* (2008) Glioblastoma microvesicles transport RNA and proteins that promote tumour growth and provide diagnostic biomarkers. *Nat. Cell Biol.* 10(12): 1470–1476.

Környei, Z. *et al.* (2007) Astroglia-derived retinoic acid is a key factor in glia-induced neurogenesis. *FASEB J.* 21: 2496–2509.

## Neural stem cells – CD133

### Human

Griffero, F. *et al.* (2009) Different response of human glioma tumor-initiating cells to EGFR kinase inhibitors. *J. Biol. Chem.* 284(11): 7138–7148.

Pfenninger, C.V. *et al.* (2007) CD133 is not present on neurogenic astrocytes in the adult subventricular zone, but on embryonic neural stem cells, ependymal cells, and glioblastoma cells. *Can. Res.* 67: 5727–5736.

Pruszk, J. *et al.* (2007) Markers and methods for cell sorting of human embryonic stem cell-derived neural cell populations. *Stem Cells* 25: 2257–2268.

Hall, P.E. *et al.* (2006) Integrins are markers of human neural stem cells. *Stem Cells* 24: 2078–2084.

Belicchi, M. *et al.* (2004) Human skin-derived stem cells migrate throughout forebrain and differentiate into astrocytes after injection into adult mouse brain. *J. Neurosci. Res.* 77: 475–486.

Yu, S. *et al.* (2004) Isolation and characterization of the CD133<sup>+</sup> precursors from the ventricular zone of human fetal brain by magnetic affinity cell sorting. *Biotech. Letters* 26: 1131–1136.

Tamaki, S. *et al.* (2002) Engraftment of sorted/expanded human central nervous system cells from fetal brain. *J. Neurosci. Res.* 69: 976–986.

Uchida, N. *et al.* (2000) Direct isolation of human central nervous system stem cells. *Proc. Natl. Acad. Sci. USA* 97: 14720–14725.

## Neural stem cells – CD15 (LeX)

### Rat

Liu, L. *et al.* (2006) Extracellular signal-regulated kinase (ERK) 5 is necessary and sufficient to specify cortical neuronal fate. *Proc. Natl. Acad. Sci. USA* 103: 9697–9702.

## Cancer stem cells

### Human

Blazek, E. *et al.* (2007) Daoy medulloblastoma cells that express CD133 are radioresistant relative to CD133<sup>-</sup> cells, and the CD133<sup>+</sup> sector is enlarged by hypoxia. *Int. J. Radiat. Oncol. Biol. Phys.* 67(1): 1–5.

Pruszk, J. *et al.* (2007) Markers and methods for cell sorting of human embryonic stem cell–derived neural cell populations. *Stem Cells* 25: 2257–2268.

Bao, S. *et al.* (2006) Stem cell–like glioma cells promote tumor angiogenesis through vascular endothelial growth factor. *Can. Res.* 66: 7843–7848.

Calabrese, J. *et al.* (2005) Radial glia cells are candidate stem cells of ependymoma. *Cancer Cell* 8: 323–35.  
Singh, S.K. *et al.* (2004) Identification of human brain tumour initiating cells. *Nature* 432: 396–401.

Singh, S.K. *et al.* (2004) Cancer stem cells in nervous system tumors. *Oncogene* 23: 7267–7273.

Singh, S.K. *et al.* (2003) Identification of a cancer stem cell in human brain tumors. *Can. Res.* 63: 5821–5828.

## Glial progenitors – A2B5

### Human

Windrem, M.S. *et al.* (2008) Neonatal chimerization with human glial progenitor cells can both remyelinate and rescue the otherwise lethally hypomyelinated shiverer mouse. *Cell Stem Cell* 2(6): 553–565.

Kuhlmann, T. *et al.* (2008) Differentiation block of oligodendroglial progenitor cells as a cause for remyelination failure in chronic multiple sclerosis. *Brain* 131: 1749–1758.

Ruffini, F. *et al.* (2004) Distinctive properties of human adult brain-derived myelin progenitor cells. *Am. J. Pathol.* 165: 2167–2175.

Windrem, M.S. *et al.* (2004) Fetal and adult human oligodendrocyte progenitor cell isolates myelinate the congenitally dysmyelinated brain. *Nature Med.* 10: 93–97.

### Mouse

Rao, R.C. *et al.* (2008) Efficient serum-free derivation of oligodendrocyte precursors from neural stem cell–enriched cultures. *Stem Cells* 27(1): 116–125.

Larsen, P.H. *et al.* (2006) Myelin formation during development of the CNS is delayed in matrix metalloproteinase-9 and -12 null mice. *J. Neurosci.* 26: 2207–2214.

Seidenfaden, R. *et al.* (2006) Glial conversion of SVZ-derived committed neuronal precursors after ectopic grafting into the adult brain. *Mol. Cell. Neurosci.* 32: 187–198.

Larsen, P.H. *et al.* (2004) The expression of matrix metalloproteinase-12 by oligodendrocytes regulates their maturation and morphological differentiation. *J. Neurosci.* 24: 7597–7603.

### Rat

Liu, A. *et al.* (2007) The glial or neuronal fate choice of oligodendrocyte progenitors is modulated by their ability to acquire an epigenetic memory. *J. Neurosci.* 27: 7339–7343.

Strathmann, F.G. *et al.* (2007) Identification of two novel glial-restricted cell populations in the embryonic telencephalon arising from unique origins. *BMC Dev. Biol.* 7: 33.

Larsen, P.H. *et al.* (2003) Matrix metalloproteinase-9 facilitates remyelination in part by processing the inhibitory NG2 proteoglycan. *J. Neurosci.* 23: 11127–11135.

## Glial progenitors – NG2

### Human

Chekenya, M. *et al.* (1999) The NG2 chondroitin sulfate proteoglycan: role in malignant progression of human brain tumors. *Int. J. Dev. Neurosci.* 17: 421–435.

### Rat

Liu, A. *et al.* (2007) The glial or neuronal fate choice of oligodendrocyte progenitors is modulated by their ability to acquire an epigenetic memory. *J. Neurosci.* 27: 7339–7343.

## Neuronal progenitor cells – PSA-NCAM

### Mouse

Cayre, M. *et al.* (2006) Migrating and myelinating potential of subventricular zone neural progenitor cells in white matter tracts of the adult rodent brain. *Mol. Cell Neurosci.* 31(4): 748–758.

Seidenfaden, R. *et al.* (2006) Glial conversion of SVZ-derived committed neuronal precursors after ectopic grafting into the adult brain. *Mol. Cell Neurosci.* 32: 187–98.

### Rat

Strathmann, F.G. *et al.* (2007) Identification of two novel glial-restricted cell populations in the embryonic telencephalon arising from unique origins. *BMC Dev. Biol.* 7: 33.

Widera, D. *et al.* (2006) Tumor necrosis factor  $\alpha$  triggers proliferation of adult neural stem cells via IKK/NF- $\kappa$ B signalling. *BMC Neurosci.* 7: 64.

Marmur, R. *et al.* (1998) Differentiation of oligodendroglial progenitors derived from cortical multipotent cells requires extrinsic signals including activation of gp130/LIF $\beta$  Receptors. *J. Neurosci.* 23: 9800–9811.

## Neural crest cells – CD271 (LNGFR)

### Rat

Chalazonitis, A. *et al.* (1998) Age-dependent differences in the effects of GDNF and NT-3 on the development of neurons and glia from neural crest-derived precursors immunoselected from the fetal rat gut: expression of GFRa-1 *in vitro* and *in vivo*. *Dev. Biol.* 204: 385–406.

Chalazonitis, A. *et al.* (1998) Promotion of the development of enteric neurons and glia by neurotrophic cytokines: interactions with Neurotrophin-3. *Dev. Biol.* 98: 343–365.  
Astrocytes (RAN2)

### Rat

Marmur, R. *et al.* (1998) Differentiation of oligodendroglial progenitors derived from cortical multipotent cells requires extrinsic signals including activation of gp130/LIF $\beta$  Receptors. *J. Neurosci.* 23: 9800–9811.

## Retinal ganglion cells – CD90

### Rat

Kerrison, J.B. *et al.* (2005) Bone morphogenetic proteins promote neurite outgrowth in retinal ganglion cells. *Mol. Vis.* 11: 208–15.

Wu, D.Y. *et al.* (2003) PKC isozymes in the enhanced regrowth of retinal neurites after optic nerve injury. *Invest. Ophthalmol. Vis. Sci.* 44: 2783–2790.

Mukai, S. *et al.* (2002) Existence of ionotropic glutamate receptor subtypes in cultured rat retinal ganglion cells obtained by the magnetic cell sorter method and inhibitory effects of 20-hydroxyecdysone, a ecdysteroid, on the glutamate response. *Jpn. J. Pharmacol.* 89: 44–52.

Tsumamoto, Y. *et al.* (2002) *In situ* localization of nitric oxide synthase and direct evidence of NO production in rat retinal ganglion cells. *Brain Res.* 933: 118–29.

Shoge, K. *et al.* (1999) Rat retinal ganglion cells culture enriched with the magnetic cell sorter. *Neurosci. Lett.* 259: 111–114.

## Motor neurons – CD271 (LNGFR)

### Mouse

Arce, V. *et al.* (1999) Cardiotrophin-1 requires LIFR $\beta$  to promote survival of mouse motoneurons purified by a novel technique. *Neurosci. Res.* 55: 119–126.

### Mouse and rat

Raoul, C. *et al.* (1999) Programmed cell death of embryonic motoneurons triggered through the Fas death receptor. *J. Cell Biol.* 147: 1049–1061.

### Rat

Garcès, A. *et al.* (2001) Responsiveness to neurturin of subpopulations of embryonic rat spinal motoneuron does not correlate with expression of GFR1 or GFR2. *Dev. Dyn.* 220: 189–197.

Garcès, A. *et al.* (2000) GFR1 is required for development of distinct subpopulations of motoneuron. *J. Neurosci.* 20: 4992.

## Schwann cells

### Mouse

Manent, J. *et al.* (2003) Magnetic cell sorting for enriching Schwann cells from adult mouse peripheral nerves. *J. Neurosci. Meth.* 123: 167–173.

### Rat

Vroemen, M. and Weidner, N. (2003) Purification of Schwann cells by selection of p75 low affinity nerve growth factor receptor expressing cells from adult peripheral nerve. *J. Neurosci. Meth.* 124: 135–143.

## Microglia – CD11b

### Mouse

Hickman, S.E. *et al.* (2008) Microglial dysfunction and defective beta-amyloid clearance pathways in aging Alzheimer's disease mice. *J. Neurosci.* 28(33): 8354–8360.

Lee, J-K. *et al.* (2008) Regulator of G-protein signaling 10 promotes dopaminergic neuron survival via regulation of the microglial inflammatory response. *J. Neurosci.* 28(34): 8517–8528.

Marek, R. *et al.* (2008) Magnetic cell sorting: a fast and effective method of concurrent isolation of high purity viable astrocytes and microglia from neonatal mouse brain tissue. *J. Neurosci. Methods* 175(1): 108–118.

Boddaert, J. *et al.* (2007) Evidence of a role for lactadherin in Alzheimer's disease. *Am. J. Pathol.* 170: 921–929.

Li, H. *et al.* (2006) Different neurotropic pathogens elicit neurotoxic CCR9- or neurosupportive CXCR3-expressing microglia. *J. Immunol.* 177: 3644–3656.

Ndhlovu, L.C. *et al.* (2001) Critical involvement of OX40 ligand signals in the T cell priming events during experimental autoimmune encephalomyelitis. *J. Immunol.* 167: 2991–2999.

Schluter, D. *et al.* (2001) Regulation of microglia by CD4<sup>+</sup> and CD8<sup>+</sup> T cells: Selective analysis in CD45-congenic normal and toxoplasma gondii-infected bone marrow chimeras. *Brain Path.* 11(1): 44–55.

## Immune cells from brain parenchyma

### Mouse

Liu, M.T. *et al.* (2001) Neutralization of the chemokine CXCL10 reduces inflammatory cell invasion and demyelination and improves neurological function in a viral model of multiple sclerosis. *J. Immunol.* 167: 4091–4097.

## Endothelial cells from cerebral cortex

### Rat

Demeule, M. *et al.* (2001) Isolation of endothelial cells from brain, lung and kidney: expression of the multidrug resistance P-glycoprotein isoforms. *Biochem. Biophys. Res. Comm.* 281: 827–834.

## mRNA isolations from brain

### Mouse

Okajima, T. *et al.* (1999) Molecular cloning of brain-specific GD1a synthase (ST6GalNAc V) containing CAG/Glutamine repeats. *J. Biol. Chem.* 274: 30557–30562.

Okajima, T. *et al.* (2000) Molecular cloning and expression of mouse GD1a/GT1aa/GQ1ba synthase (ST6GalNAc VI) gene. *J. Biol. Chem.* 275: 6717–6723.

## Magnetic resonance imaging

### Mouse

Sykova, E. and Jendelova, P. (2005) Magnetic resonance tracking of implanted adult and embryonic stem cells in injured brain and spinal cord. *Ann. N. Y. Acad. Sci.* 1049: 146–160.

Pirko, I. *et al.* (2003) *In vivo* magnetic resonance imaging of immune cells in the central nervous system with superparamagnetic antibodies. *FASEB J.* 18: 179–182.



### Miltenyi Biotec

**Miltenyi Biotec GmbH**  
Friedrich-Ebert-Straße 68  
51429 Bergisch Gladbach  
Germany  
Phone +49 2204 8306-0  
Fax +49 2204 85197  
macs@miltenyibiotec.de

**Miltenyi Biotec Inc.**  
2303 Lindbergh Street  
Auburn, CA 95602-9562, USA  
Phone 800 FOR MACS  
Phone +1 530 888 8871  
Fax +1 530 888 8925  
macs@miltenyibiotec.com

**Miltenyi Biotec Australia Pty. Ltd.**  
Phone +61 2 8877 7400  
macs@miltenyibiotec.com.au

**Miltenyi Biotec B.V. (Benelux)**  
macs@miltenyibiotec.nl

**Customer service The Netherlands**  
Phone 0800 4020120  
**Customer service Belgium**  
Phone 0800 94016  
**Customer service Luxembourg**  
Phone 800 24971

**Miltenyi Biotec GmbH (P.R. China)**  
Phone +86 21 6235 1005  
macs@miltenyibiotec.com.cn

**Miltenyi Biotec SAS (France)**  
Phone +33 1 56 98 16 16  
macs@miltenyibiotec.fr

**Miltenyi Biotec S.r.l. (Italy)**  
Phone +39 051 646 0411  
macs@miltenyibiotec.it

**Miltenyi Biotec K.K. (Japan)**  
Phone +81 3 5646 8910  
macs@miltenyibiotec.jp

**Miltenyi Biotec Norden AB (Nordics and Baltics)**  
macs@miltenyibiotec.se  
**Customer service Sweden**  
Phone 0200-111 800

**Customer service Denmark**  
Phone 80 20 30 10  
**Customer service Norway, Finland, Iceland, and Baltic countries**  
Phone +46 46 280 72 80

**Miltenyi Biotec Asia Pacific Pte. Ltd. (Singapore)**  
Phone +65 6238 8183  
macs@miltenyibiotec.com.sg

**Miltenyi Biotec Korea (South Korea)**  
Phone +82 2 555 1988  
macs@miltenyibiotec.co.kr

**Miltenyi Biotec S.L. (Spain)**  
Phone +34 91 512 12 90  
macs@miltenyibiotec.es

**Miltenyi Biotec Ltd. (UK)**  
Phone +44 1483 799 800  
macs@miltenyibiotec.co.uk

**www.miltenyibiotec.com**

Miltenyi Biotec provides products and services worldwide. Visit [www.miltenyibiotec.com/local](http://www.miltenyibiotec.com/local) to find your nearest Miltenyi Biotec contact.

Unless otherwise specifically indicated, Miltenyi Biotec products and services are for research use only and not for therapeutic or diagnostic use. MACS is a registered trademark of Miltenyi Biotec GmbH. Copyright © 2013 Miltenyi Biotec GmbH. All rights reserved.