



Selected references

autoMACS[®] Cell Separation

MACS[®] Technology has empowered cellular research with high-quality cell separation for over 25 years. Our proven technology ensures that cells are viable and functional for any downstream application. Using the autoMACS[®] Pro Separator, you will obtain pure cell populations – the prerequisite for sensitive cell analyses. Explore the broad range of applications of autoMACS Cell Separation in cellular and molecular biology and a wide spectrum of research areas, including neuroscience, cancer research, stem cell research, and immunology.

Cellular and molecular biology

Kulis, M. *et al.* (2015) Whole-genome fingerprint of the DNA methylome during human B cell differentiation. *Nat. Genet.* 47: 746–756.

Kim, M.S. *et al.* (2014) A draft map of the human proteome. *Nature* 509: 575–581.

Tandon, P. *et al.* (2011) Requirement for ribosomal protein S6 kinase 1 to mediate glycolysis and apoptosis resistance induced by Pten deficiency. *Proc. Natl. Acad. Sci. USA* 108: 2361–2365.

Zhao, L. *et al.* (2011) Integrated genome-wide chromatin occupancy and expression analyses identify key myeloid pro-differentiation transcription factors repressed by Myb. *Nucleic Acids Res.* 39: 4664–4679.

Belzile, J.-P. *et al.* (2011) HIV-1 Vpr induces the K48-linked polyubiquitination and proteasomal degradation of target cellular proteins to activate ATR and promote G2 arrest. *J. Virol.* 84: 3320–3330.

Jeong, S.M. *et al.* (2010) The SWI/SNF chromatin-remodeling complex modulates peripheral T cell activation and proliferation by controlling AP-1 expression. *J. Biol. Chem.* 285: 2340–2350.

Willasch, A. *et al.* (2010) Enrichment of cell subpopulations

applying automated MACS technique: purity, recovery and applicability for PCR-based chimerism analysis. *Bone Marrow Transplant.* 45: 181–189.

Lindstrom, D.L. and Gottschling, D.E. (2009) The mother enrichment program: a genetic system for facile replicative life span analysis in *Saccharomyces cerevisiae*. *Genetics.* 183: 413–422.

Neuroscience

Cho, S.-H. *et al.* (2015) SIRT1 Deficiency in microglia contributes to cognitive decline in aging and neurodegeneration via epigenetic regulation of IL-1 β . *J. Neurosci.* 35: 807–818.

Minami, S. *et al.* (2014) Progranulin protects against amyloid β deposition and toxicity in Alzheimer's disease mouse models. *Nat. Med.* 20: 1157–1164.

Fadul, C.E. *et al.* (2011) Immune modulation effects of concomitant temozolomide and radiation therapy on peripheral blood mononuclear cells in patients with glioblastoma multiforme. *Neuro Oncol.* 13: 393–400.

Ferrandi, C. *et al.* (2011) Characterization of immune cell subsets during the active phase of multiple sclerosis reveals disease and c-Jun N-terminal kinase pathway biomarkers. *Mult. Scler.* 7: 43–56.

Cancer research

Krishnamurthy, J. *et al.* (2015) Genetic engineering of T cells to target HERV-K, an ancient retrovirus on melanoma. *Clin. Cancer Res.* 21: 3241–3251.

Bénéteau, M. *et al.* (2012) Combination of glycolysis inhibition with chemotherapy results in an antitumor immune response. *Proc. Natl. Acad. Sci. U S A.* 109: 20071–20076.

Liu, Y. *et al.* (2011) Expression of p16INK4a prevents cancer and promotes aging in lymphocytes. *Blood* 117: 3257–3267.

Tawara, I. *et al.* (2011) Interleukin-6 modulates graft-versus-host responses after experimental allogeneic bone marrow transplantation. *Clin. Cancer Res.* 17: 77–88.

Vargova, K. *et al.* (2011) MYB transcriptionally regulates the miR-155 host gene in chronic lymphocytic leukemia. *Blood* 117: 3816–3825.

Thompson, E.D. *et al.* (2010) Tumor masses support naive T cell infiltration, activation, and differentiation into effectors. *J. Exp. Med.* 207: 1791–1804.

Tokunaga, M. *et al.* (2010) BCR-ABL but not JAK2 V617F inhibits erythropoiesis through the ras signal by inducing p21CIP1/WAF1. *J. Biol. Chem.* 285: 31774–31782.

Bluemke, K. *et al.* (2009) Detection of circulating tumor cells in peripheral blood of patients with renal cell carcinoma correlates with prognosis. *Cancer Epidemiol. Biomarkers Prev.* 18: 2190–2194.

Taubert, H. *et al.* (2004) Detection of disseminated tumor cells in peripheral blood of patients with breast cancer: correlation to nodal status and occurrence of metastases. *Gynecol. Oncol.* 92: 256–261.

Stem cell research

Haus, D.L. *et al.* (2014) CD133-enriched xeno-free human embryonic-derived neural stem cells expand rapidly in culture and do not form teratomas in immunodeficient mice. *Stem Cell Res.* 3:214–226.

Ramos-Mejia, V. *et al.* (2014) HOXA9 promotes hematopoietic commitment of human embryonic stem cells. *Blood* 124: 3065–3075.

Carlson, S. *et al.* (2011) Cardiac mesenchymal stem cells contribute to scar formation after myocardial infarction. *Cardiovasc. Res.* 91: 99–107.

Chen, T.H. *et al.* (2011) Knockdown of Hspa9, a del(5q31.2) gene, results in a decrease in hematopoietic progenitors in mice. *Blood* 117: 1530–1539.

Gieseke, F. *et al.* (2010) Human multipotent mesenchymal stromal cells use galectin-1 to inhibit immune effector cells. *Blood* 116: 3770–3779.

Gutman, J.A. *et al.* (2010) Single-unit dominance after double-unit umbilical cord blood transplantation coincides with a specific CD8⁺ T cell response against the non-engrafted unit. *Blood* 115: 757–765.

Shono, Y. *et al.* (2010) Bone marrow graft-versus-host disease: early destruction of hematopoietic niche after MHC-mismatched hematopoietic stem cell transplantation. *Blood* 115: 5401–5411.

Song, J. *et al.* (2010) An *in vivo* model to study and manipulate the hematopoietic stem cell niche. *Blood* 115: 2592–2600.

Yamashita, T. *et al.* (2010) Oncostatin M renders epithelial cell adhesion molecule-positive liver cancer stem cells sensitive to 5-fluorouracil by inducing hepatocytic differentiation. *Cancer Res.* 70: 4687–4697.

Immunology

Sperandio, S. *et al.* (2015) TOE1 is an inhibitor of HIV-1 replication with cell-penetrating capability. *Proc. Natl. Acad. Sci. USA* 112: E3392–E3401.

Kuwahara, M. *et al.* (2014) The Menin-Bach2 axis is critical for regulating CD4 T-cell senescence and cytokine homeostasis. *Nat. Commun.* 5: 3555.

Riquelme, P. *et al.* (2013) IFN- γ -induced iNOS expression in mouse regulatory macrophages prolongs allograft survival in fully immunocompetent recipients. *Mol. Ther.* 21: 409–422.

Bonnefoy, F. *et al.* (2011) TGF- β -exposed plasmacytoid dendritic cells participate in Th17 commitment. *J. Immunol.* 186: 6157–6164.

Janikashvili, N. *et al.* (2011) Allogeneic effector/memory Th-1 cells impair FoxP3⁺ regulatory T lymphocytes and synergize with chaperone-rich cell lysate vaccine to treat leukaemia. *Blood* 117: 1555–1564.

Li, L. *et al.* (2011) Transcriptional regulation of the Th17 immune response by IKK α . *J. Exp. Med.* 208: 787–796.

Liu, X. *et al.* (2011) High-dose dexamethasone shifts the balance of stimulatory and inhibitory Fc receptors on monocytes in patients with primary immune thrombocytopenia. *Blood* 117: 2061–2069.

Nanua, S. *et al.* (2011) Activation of the unfolded protein response is associated with impaired granulopoiesis in transgenic mice expressing mutant Elane. *Blood* 117: 3539–3547.

Perez, J. *et al.* (2011) Accumulation of CD4⁺ T cells in the colon of CsA-treated mice following myeloablative conditioning and bone marrow transplantation. *Am. J. Physiol. Gastrointest. Liver Physiol.* 300: G843–G852.

Soroosh, P. *et al.* (2011) Herpesvirus entry mediator (TNFRSF14) regulates the persistence of T helper memory cell populations. *J. Exp. Med.* 208: 797–809.

Sun, J.C. *et al.* (2011) Homeostatic proliferation generates long-lived natural killer cells that respond against viral infection. *J. Exp. Med.* 208: 357–368.

Cai, S.F. *et al.* (2010) Granzyme B is not required for regulatory T cell-mediated suppression of graft-versus-host disease. *Blood* 115: 1669–1677.

Sanz, E. *et al.* (2010) Ordering human CD34⁺CD10⁻CD19⁺ pre/pro-B-cell and CD19⁻ common lymphoid progenitor stages in two pro-B-cell development pathways. *Proc. Natl. Acad. Sci. USA* 107: 5925–5930.



Miltenyi Biotec

Miltenyi Biotec GmbH | Phone +49 2204 8306-0 | Fax +49 2204 85197 | macs@miltenyibiotec.de | www.miltenyibiotec.com

Miltenyi Biotec provides products and services worldwide. Visit www.miltenyibiotec.com/local to find your nearest Miltenyi Biotec contact.

Unless otherwise specifically indicated, Miltenyi Biotec products and services are for research use only and not for therapeutic or diagnostic use. autoMACS and MACS are registered trademarks of Miltenyi Biotec GmbH. Copyright © 2015 Miltenyi Biotec GmbH. All rights reserved.